





Information for people with kidney disease

November 23, 2022

Why is planning for a COVID-19 vaccine important?

• It is very important that you monitor how you are feeling in the days leading up to your vaccine appointment. If you do not feel well, rebook for when you are feeling better.

Should I get the COVID-19 vaccine? Will the vaccine work for me?

- All of the COVID-19 vaccines available in Canada are safe. Vaccines teach your body to develop antibodies against the COVID-19 virus. These antibodies will help fight off future infections and protect from serious illness.
- Doctors and researchers have looked at the evidence. They agree that, unless you have a very serious allergy to any of the vaccine ingredients, you should strongly consider getting a COVID-19 vaccine. This is because you have a higher chance of experiencing severe symptoms if you get COVID-19.
- People with kidney disease and who take certain medications for kidney disease that suppress
 the immune system weren't included in the clinical trials of the COVID-19 vaccines. However, the
 way the vaccines work means that there is a strong chance that your immune system will learn
 to protect you, to some degree, from COVID-19.

What if I test positive for COVID-19?

- If you've recently had a positive COVID-19 test result, you can wait up to 3 months for a booster dose. The likelihood of a COVID-19 reinfection during this period of time is small because having COVID-19 boosts your immunity.
- You can also choose to get a booster dose at any time after your symptoms have passed. It is not
 harmful to get vaccinated and it will give you a good boost to your protection.

What about the medications or treatments that I take?

Most medications, including most immunosuppressants that some people with kidney disease
take, are safe to take alongside vaccination—even on the same day as your vaccine. If there is
anything specific that you need to do around your medication, your kidney disease health-care
team will contact you.



Planning for your COVID-19 vaccine



• If you take medications for another condition and you aren't sure if you need to consider timing, you can also look at the COVID-19 vaccine planning considerations posted on the BCCDC website for that condition (if available), and/or call 8-1-1 or talk to your health-care provider.

How else should I plan for my vaccine appointment?

- Review HealthLink BC's general information on <u>COVID-19 vaccines</u>.
- In the 2-3 days leading up to your vaccine, monitor yourself: is anything about how you usually feel new or getting worse? If you aren't feeling like your usual self, rebook your vaccine appointment for another day. You won't lose your place in line. Consider reaching out to your health care provider about your worsening symptoms.
- Many people who receive dialysis have a fistula, so they need to get their vaccine in the other arm.

What or who should I bring with me?

- Please bring your BC Services Card or CareCard to your appointment.
- You can bring any medical or mobility equipment that you need.
- If you need to, you can bring a trusted friend, family member or caregiver with you to support you through the process. Please only bring one person.

What happens after my vaccine?

- Everyone who gets a COVID-19 vaccine will stay on location to be monitored for 15 minutes after they get their vaccine.
- You should tell a health-care provider at the vaccination site if you do not feel well.
- If you have any new or worsening symptoms once you go home, please call your health care team or 8-1-1. If you have a severe allergic reaction, call 9-1-1 immediately.
- You can learn more about what to expect after your vaccine on the BCCDC website.



Planning for your COVID-19 vaccine



My vaccine planning checklist

Read the COVID-19 vaccine information for my condition(s)
Time my vaccine appointment around my medication and treatments (if relevant to me)
Talk to my doctor if I have any questions or need any help planning my medication
Monitor how I'm feeling leading up to my vaccination appointment. Is anything new or getting
worse compared to how I usually feel?
Plan to bring the medical and mobility equipment I need with me