



Ministry of Health

BC Chronic Disease and Selected Procedure Case Definitions

Author: Chronic Disease Information Working Group

Date Created: June 29, 2015

Last Updated: February 01, 2018

Version: v2016

Email: hlth.cdrwg@gov.bc.ca

GLOSSARY

Cumulative Prevalence

It is also known as Prevalence for Life. Cases meet case definition criteria to qualify in a given year, and are then carried forward to show as a case every year thereafter. This measure is helpful for determining prevalence related to life-long chronic disease, but less useful for conditions that may be episodic (e.g., mood disorders, substance use problem, etc.).

Episodic Prevalence

Cases meet case definition criteria to qualify in a given year, and are then carried forward in all subsequent years with at least one condition-related code including ICD diagnostic codes, procedure codes or drugs in any specific year.

Annual Prevalence

Cases meet case definition criteria to qualify in each given year. Can be used as a quality measure to understand how it compares to cumulative prevalence or how it behaves over time.

Annual Service Utilization Prevalence

Cases meet case definition criteria in a given year by virtue of one hospital diagnosis (MRDX) or one physician claim with diagnosis (first position only). Cases are not carried forward from year to year. This utilization prevalence measure is useful for describing the number of people or proportion of the population using services directly related to the disease.

Annual Prevalence with 365 Days follow-up

Cases meet case definition criteria to qualify in each given year with complete 365 days follow-up time. Can be used as a quality measure to understand how it compares to cumulative prevalence or how it behaves over time.

CASE DEFINITION – PARKINSON’S/PARKINSONISM

Case Definition Type: Cumulative Prevalence Episodic Prevalence Annual Prevalence Annual Service Utilization Prevalence
 Annual Prevalence with 365 Days Follow-up

Case Definition: The case definition for Parkinsonism requires two physician visits at least 30 days apart in one year with diagnostic code(s) specified below. The case definition applies to persons aged 40 and older.

Signed-off BC Case Definition: Yes - V2016 No

Algorithm: 2P at least 30D apart in 1Y with diagnostic code(s) specified below.

Notes: None

Age Restriction: Age 40 +

Data Source(s):

Data Source	ICD Code/Procedure Code/Rx	ICD Code/Procedure Code Position	Diagnosis Type	Hospital Care Level
Hospital ICD-10	N/A	First Position Only <input type="checkbox"/> All Positions <input type="checkbox"/> Others <input type="checkbox"/> N/A <input checked="" type="checkbox"/>	N/A	N/A
Hospital ICD-9	N/A	First Position Only <input type="checkbox"/> All Positions <input type="checkbox"/> Others <input type="checkbox"/> N/A <input checked="" type="checkbox"/>	N/A	N/A
Physician Claims ICD-9	332	First Position Only <input type="checkbox"/> All Positions <input checked="" type="checkbox"/> Others <input type="checkbox"/> N/A <input type="checkbox"/>	N/A	N/A
PharmaNet Drug History	N/A	N/A	N/A	N/A

Diagnostic Code:

ICD-9/10	Description
332	Parkinson’s disease

Procedure Code: N/A

Drug List: N/A