

British Columbia Chronic Disease Registries (BCCDR) Case Definitions (Last Update: April 2024)

Population Health Surveillance and Epidemiology Branch

Office of the Provincial Health Officer

British Columbia (BC) Ministry of Health

(Contact: <u>hlth.cdrwg@gov.bc.ca</u>)

GOUT/CRYSTAL ARTHROPATHIES

Case Definition Type: Health Service Contact Prevalence 🛛 Incidence Rate 🖾 Lifetime Prevalence 🖾

Case Definition:

One or more hospitalizations with a gout/crystal arthropathies diagnostic code, OR Two or more physician visits with a gout/crystal arthropathies diagnostic code within five years.

Signed-off BC Case Definition: Yes ⊠ - V2022 No □

Notes: BC CDR algorithm uses all practitioner claims diagnostic fields, while CCDSS uses only the first physician claim field.

Age Restriction: 20+ years

Data Source(s):

| Data Source | ICD Code/Procedure Code/Rx | ICD Code/Procedure Code Position | Diagnosis Type | Hospital Care Level |
|-----------------|-------------------------------|-------------------------------------|--------------------------------------|---------------------|
| Hospital ICD-10 | M10.x | First Position Only 🗆 | M-Most Responsible Diagnosis 🗵 | Acute Care 🗵 |
| | M11.x | All positions 🖂 | 1-Pre-Admit Comorbidity 🗵 | Rehabilitation 🗵 |
| | | Others 🗆 | 2-Post-Admit Comorbidity 🗵 | Day Surgery 🗆 |
| | | N/A 🗆 | 3-Secondary Diagnosis 🗵 | |
| | | | 4-Morphology Code ⊠ | |
| | | | 5-Admitting Diagnosis 🗵 | |
| | | | 6-Proxy Most Responsible Diagnosis 🗵 | |
| | | | 9-External Cause of Injury Code 🗵 | |
| | | | 0-Newborn 🛛 | |
| | | | W,X,Y- Service Transfer Diagnosis 🗵 | |
| Hospital ICD-9 | 274.x | First Position Only 🗆 | M-Most Responsible Diagnosis 🗵 | Acute Care 🗵 |
| | 712.x | All positions 🗵 | 1-Pre-Admit Comorbidity 🗵 | Rehabilitation 🗵 |
| | | Others 🗆 | 2-Post-Admit Comorbidity 🗵 | Day Surgery 🗆 |
| | | N/A 🗆 | 3-Secondary Diagnosis 🛛 | |
| | | | 4-Morphology Code ⊠ | |
| | | | 5-Admitting Diagnosis 🛛 | |
| | | | 6-Proxy Most Responsible Diagnosis 🗵 | |
| | | | 9-External Cause of Injury Code 🗵 | |

| | | | 0-Newborn ⊠ | |
|---------------------|-------|-----------------------|-------------------------------------|-----|
| | | | W,X,Y- Service Transfer Diagnosis 🗵 | |
| Practitioner Claims | 274.x | First Position Only 🗆 | N/A | N/A |
| ICD-9 | 712.x | All positions 🖂 | | |
| | | Others 🗆 | | |
| | | N/A 🗆 | | |
| Practitioner Claims | M10.x | First Position Only 🗆 | N/A | N/A |
| ICD-10 | M11.x | All positions 🛛 | | |
| | | Others 🗆 | | |
| | | N/A 🗆 | | |
| PharmaNet Drug | N/A | N/A | N/A | N/A |
| History | | | | |

Diagnostic Code:

| ICD-9/10 | Description | | |
|----------|-----------------------------|--|--|
| M10 | Gout | | |
| M11 | Other crystal arthropathies | | |
| 274 | Gout | | |
| 712 | Crystal arthropathies | | |

Procedure Code: N/A

Drug List: N/A