

Alcohol use reported by clients at harm reduction distribution sites in the 2014 Annual Substance Use Survey




For full report visit www.bccdc.ca/prevention/HarmReduction/SubstanceUseTrends


Benzodiazepine use reported by clients at harm reduction distribution sites in the 2014 Annual Substance Use Survey



Cocaine use reported by clients at harm reduction distribution sites in the 2014 Annual Substance Use Survey




Crack use reported by clients at harm reduction distribution sites in the 2014 Annual Substance Use Survey




For full report visit www.bccdc.ca/prevention/HarmReduction/SubstanceUseTrends


Crystal Meth use reported by clients at harm reduction distribution sites in the 2014 Annual Substance Use Survey




Dilaudid use reported by clients at harm reduction distribution sites in the 2014 Annual Substance Use Survey



Herion use reported by clients at harm reduction distribution sites in the 2014 Annual Substance Use Survey




Marijuana use reported by clients at harm reduction distribution sites in the 2014 Annual Substance Use Survey



For full report visit www.bccdc.ca/prevention/HarmReduction/SubstanceUseTrends

Methadone use reported by clients at harm reduction distribution sites in the 2014 Annual Substance Use Survey



Morphine use reported by clients at harm reduction distribution sites in the 2014 Annual Substance Use Survey

