## **British Columbia Weekly COVID-19 Surveillance Report\***


## July 31- August 6, 2020\*\*

## **Key Findings**

COVID-19 detections in BC are increasing, but risk remains low overall.

- A total of 290 new cases were reported this week, a 46% increase from last week (<u>Table 1, Fig 3</u>). The
  proportion of positive tests also increased during this period (<u>Fig 6</u>).
- Cumulative incidence remains highest in the Lower Mainland; the largest number of new cases in the last week was reported by Fraser Health (62% of new cases) (<u>Table 1</u>).
- The most likely source of infection remains contact with a local case or cluster (<u>Table 2</u>).
- The median age of cases decreased slightly since last week from 48 to 46 years of age (<u>Table 1</u>). The highest proportion increase in reported cases since last week occurred in the <30 year olds (<u>Table 3</u>, <u>Fig 7</u>).
- Five outbreaks are currently active with two new outbreaks reported since last week (Fig 9, Table 4).
- New hospital admissions and deaths remain low (Fig 5). The number of cases currently in hospital and in critical care remains low (Fig 10, Fig 11). This may be due to the younger age of recently reported cases.
- The BC outbreak trajectory remains favourable compared to other provinces and countries (Fig 12, Fig 13).

Figure 1: Map of total and new COVID-19 cases reported since last week by health authority of residence, BC, January 1 – August 6, 2020 (N=3,881)<sup>+</sup>



<sup>^</sup>New cases reported since last week by health authority are denoted in parentheses.

Version: August 6, 2020 1 of 11

Cases reported as "Out of Canada" (n=69) are not reflected on the map.

<sup>\*</sup>Findings are based on lab-confirmed, lab-probable, and epi-linked cases (case definition found here: <a href="http://www.bccdc.ca/health-professionals/clinical-resources/case-definitions/covid-19-(novel-coronavirus">http://www.bccdc.ca/health-professionals/clinical-resources/case-definitions/covid-19-(novel-coronavirus)</a>) reported from Health Authorities to BCCDC as of 10am, except where otherwise noted. Data represent a subset of actual infections and are subject to change with changes in testing recommendations and practices, changes in case definitions, data reconciliation and/or as data become more complete. As of July 3, residents of other Canadian provinces/territories are reported by that province/territory.

\*\* Produced weekly (Thursdays) effective July 16, 2020

**Table 1:** Epidemiological profile of reported cases by health authority of residence, BC, January 1 – August 6, 2020 (N=3,881)

|   | Health Authority of Residence <sup>c</sup> |          |                     |          | Total                |                  |  |
|---|--|----------|---------------------|----------|----------------------|------------------|--|
|   | Fraser                                     | Interior | Vancouver<br>Island | Northern | Vancouver<br>Coastal | Out of<br>Canada | N (%) <sup>d</sup>                       |
| Total number of cases <sup>a,b</sup>                                | 2,045                                      | 385      | 146                 | 93       | 1,143                | 69               | 3,881                                    |
| Number of lab-confirmed and lab-probable cases                      | 2,038                                      | 365      | 142                 | 92       | 1,137                | 68               | 3,842                                    |
| Number of epi-linked probable cases <sup>b,e</sup>                  | 7  | 20       | 4                   | 1        | 6                    | 1                | 39                                       |
| New cases since last week (July 30) <sup>f</sup>                    | 180  | 25       | 3                   | 7        | 67                   | 8                | 290                                      |
| Median age in years, cases <sup>g</sup>                             | 43   | 36       | 50                  | 37       | 54                   | 42               | 46 years<br>(range 0-104y)               |
| Female sex, cases   | 1,013                                      | 190      | 77                  | 55       | 625                  | 12               | 1,972 (51%)                              |
| Cumulative incidence per 100,000 population <sup>h</sup>            | 106.6                                      | 48.0     | 17.2                | 31.0     | 92.2                 | -                | 74.6 <sup>h</sup>                        |
| Ever hospitalized   | 289  | 32       | 25                  | 14       | 186                  | 4                | 550 (14%)                                |
| Median age in years, ever hospitalized <sup>g</sup>                 | 69   | 62       | 72                  | 44       | 69                   | 49               | 68 years<br>(range 0-98y)                |
| Currently hospitalized <sup>i,l</sup>                               | 7  | 1        | 0                   | 0        | 3                    | 0                | 11                                       |
| Currently in critical care <sup>j,l</sup>                           | 3  | 1        | 0                   | 0        | 1                    | -                | 5  |
| Total deaths, case fatality and cumulative mortality <sup>h,i</sup> | 79   | 2        | 5                   | 0        | 109                  | 0                | 195 (5%)<br>3.8 per 100,000 <sup>h</sup> |
| New deaths since last week (July 30) <sup>f</sup>                   | 0  | 0        | 0                   | 0        | 1                    | 0                | 1  |
| Median age in years,<br>deaths <sup>g</sup>                         | 83   | 73       | 85                  | NA       | 87                   | NA               | 85 years<br>(range 47-103y)              |
| Discontinued isolation <sup>k</sup>                                 | 1,743                                      | 365      | 137                 | 75       | 936                  | 59               | 3,315 (85%)                              |

- a. Total COVID-19 cases includes lab-confirmed, lab-probable and epi-linked cases. Case definitions can be found at: <a href="http://www.bccdc.ca/health-professionals/clinical-resources/case-definitions/covid-19-(novel-coronavirus">http://www.bccdc.ca/health-professionals/clinical-resources/case-definitions/covid-19-(novel-coronavirus)</a>. As of July 3, residents of other Canadian provinces/territories are reported by that province/territory.
- b. Epi-linked cases reported on or after May 19, 2020 are included.
- c. As of July 9, cases are reported by health authority of residence. When health authority of residence is not available, cases are assigned to the health authority reporting the case. Cases whose primary residence is outside of Canada are reported as "Out of Canada". Previously, cases were assigned to the health authority that reported the case. Please note that the health authority of residence and the health authority reporting the case do not necessarily indicate the location of exposure or transmission.
- d. Denominator for % derivation is total number of cases (N), except sex which is calculated based on those with known information on sex.
- e. Epi-linked case counts may decrease if cases are tested and meet a different case classification.
- f. "New" cases and deaths reflect the difference in counts reported to the BCCDC between the day of the last report and today's report as of 10am (net new). This may not be equal to the number of cases/deaths by date reported to HAs, as: (1) cases/deaths reported prior to 10am would be included as new cases/deaths in today's report and cases reported after 10am would be included in the next report's count; (2) there may be some delays between cases/deaths being reported to HAs and then reported to BCCDC; and (3) cases may be attributed to different health authorities or may be excluded from case counts as new information is obtained.
- g. Median age is calculated based on those with known information on age.
- h. PEOPLE2019-2020 population estimates. Incidence and mortality rates calculated only for BC residents.
- i. Serious outcome (e.g. hospitalization, death) tallies may be incomplete or out of date (i.e. under-estimates) owing to the timing and processes for case status update.
- j. Source: PHSA August 6 @10am. The number of COVID cases in critical care units is reported daily by each Health Authority and includes the number of COVID patients in all critical care beds (e.g., intensive care units; high acuity units; and other surge critical care spaces as they become available and/or required). Cases are reported by health authority of hospital. Work is ongoing to improve the completeness and accuracy of the data reported.
- k. Self-isolation has been discontinued per the criteria outlined in the BC guidelines for public health management of COVID-19: <a href="http://www.bccdc.ca/resource-gallery/Documents/Guidelines%20and%20Forms/Guidelines%20and%20Manuals/Epid/CD%20Manual/Chapter%201%20-%20CDC/2019-nCoV-Interim Guidelines.pdf">http://www.bccdc.ca/resource-gallery/Documents/Guidelines%20and%20Forms/Guidelines%20and%20Manuals/Epid/CD%20Manual/Chapter%201%20-%20CDC/2019-nCoV-Interim Guidelines.pdf</a>
- I. Current cases for August 6, 2020.

Version: August 6, 2020 **2** of **11** 

Exposure-based Targeted Expanded 110 Phase 2 Phase 3 100 90 Number of Cases 70: 60: 40: 40: 30 20 10 Feb-19 Feb-26 Symptom Onset Date Epi-linked Lab-diagnosed

Figure 2: Epidemic curve, COVID-19 cases in BC by symptom onset date January 15 – August 5, 2020 (N=3,592<sup>†</sup>)

Only cases with symptom onset dates reported are included.




Figure 3: Epidemic curve, COVID-19 cases in BC by reported date January 15 – August 5, 2020 (N=3,876<sup>‡</sup>)<sup>¥</sup>

Phase 1 – Public health measures enacted: March 14: Spring break started for most schools; March 16: Mass gatherings public health order implemented (>50 people), entry of foreign nationals banned, symptomatic individuals banned from flights to Canada, international flights restricted to four national airports; March 17: BC public health emergency declared, traveller self-isolation public health order implemented; March 18: Provincial state of emergency declared, food and drink service restrictions public health order implemented; March 20: US/Canada border closed to non-essential travel; March 21: closure of personal service establishments. Phase 2 – Start of reopening: May 19: Restoration of health services, retail, hair salons, in-person counselling, restaurants, cafes, pubs, museums, libraries, office-based worksites, sports, outdoor spaces, and child care. June 1: Students in K-12 return to school on a gradual and part-time basis.

Phase 3 – Continued reopening: June 24: Non-essential travel within BC permitted with reopening of accommodation industry (hotels, motels, RV parks, cabins, etc.), overnight camping in BC parks, motion pictures and television production, and movie theatres. Please refer to <a href="http://www.bccdc.ca/health-info/diseases-conditions/covid-19/testing/phases-of-covid-19-testing-in-bc">http://www.bccdc.ca/health-info/diseases-conditions/covid-19/testing/phases-of-covid-19-testing-in-bc</a> for laboratory testing criteria changes.

How to interpret the epidemic curves: Figure 2 shows the date that a case's illness started. Figure 3 shows the date the illness was confirmed and reported by the laboratory. There is a delay between the beginning of a person's illness (symptom onset date) and the date the laboratory confirms and reports the illness (reported date). New cases only have a reported date available and appear on the right of the curve in Figure 3, but their symptom onset would have occurred prior. As information on symptom onset becomes available through public health investigation, cases are expected to appear on earlier dates in Figure 2.

Version: August 6, 2020 3 of **11** 

<sup>&</sup>lt;sup>‡</sup> The number of cases reported by day differs from that in Table 1 in previous reports as this figure reflects the date the case was lab-confirmed and reported to the Health Authority.

<sup>&</sup>lt;sup>¥</sup> On June 3, a change in the FHA reporting system led to changes in the reported date of some FHA cases and concurrent changes to the epidemic curve by reported date.

Provincial Health Services Authority




Figure 4: Likely source of infection for COVID-19 cases in BC by episode date<sup>§</sup>, January 15 – August 5, 2020 (N=3,878)

Table 2: Number and proportion of likely source of infection for COVID-19 cases in BC by phase of epidemic, January 15 - August 5, 2020 (N=3,878)

| Phase of epidemic                   | International<br>travel<br>n (%) | Local –<br>case/cluster<br>n (%) | Local –<br>unknown<br>source<br>n (%) | Pending/missing<br>info<br>n (%) | Total<br>N (%) |
|-------------------------------------|----------------------------------|----------------------------------|---------------------------------------|----------------------------------|----------------|
| Jan 15 – Mar 13<br>(Pre-Phase 1)    | 126 (32.0)                       | 175 (44.4)                       | 80 (20.3)                             | 13 (3.3)                         | 394 (100)      |
| Mar 14 – May 18<br>(Phase 1)        | 201 (9.5)                        | 1477 (69.8)                      | 391 (18.5)                            | 46 (2.2)                         | 2,115 (100)    |
| May 19 – yesterday<br>(Phase 2 & 3) | 97 (7.1)                         | 905 (66.1)                       | 258 (18.8)                            | 109 (8.0)                        | 1,369 (100)    |
| Total                               | 424 (10.9)                       | 2,557 (65.9)                     | 729 (18.8)                            | 168 (4.3)                        | 3,878 (100)    |


Version: August 6, 2020 4 of 11

<sup>§</sup> Episode date is based on symptom onset date (n=3,592), if not available then date COVID-19 was reported to health authority (n=286).

<sup>\*</sup> March 16: Entry of foreign nationals banned; symptomatic individuals banned from flights to Canada; international flights restricted to four national airports.

<sup>\*\*</sup> March 20: US/Canada border closed to non-essential travel.


**Figure 5.** Number of COVID-19 cases, hospital admissions, and deaths by event date, BC, January 15 – August 5, 2020 (N=3,876\*)



<sup>\*</sup> On June 3, a change in the FHA reporting system led to changes in the reported date of some FHA cases and concurrent changes to the epidemic curve by reported date. Excludes hospitalizations with unknown admission dates or admission dates which precede symptom onset and/or discharge date.

Version: August 6, 2020 5 of **11** 


Figure 6: Number and proportion of SARS-CoV-2 positive respiratory specimens, BC, Jan 15– Aug 4, 2020 (N=276,503; Positive=1.83%)



Data source: PLOVER extract on August 6, 2020. Methods and caveats: SARS-CoV-2 specimens are tallied at the specimen level by date the specimen was collected. The proportion positive on a given date may include new positive cases and retested positive cases; this may over-estimate proportionate positivity. Similarly, individuals may be tested repeatedly after becoming negative; this may under-estimate proportionate positivity. Refer to <a href="http://www.bccdc.ca/health-info/diseases-conditions/covid-19/testing/phases-of-covid-19-testing-in-bc">http://www.bccdc.ca/health-info/diseases-conditions/covid-19/testing/phases-of-covid-19-testing-in-bc</a> for description of laboratory testing phases. Refer to footnotes on <a href="majorated apart of page 3">page 3</a> for description of public health measures.

Version: August 6, 2020 6 of **11** 

**Figure 7:** Percentage distribution of COVID-19 cases, hospitalizations, ICU admissions and deaths by age, compared to the general population<sup>†</sup> of BC, January 1 – August 6, 2020 (**N=3,863\***)



<sup>\*</sup>Only cases with age information available are included.

Note: COVID hospitalizations have been reported in the <10y and 10-19y age groups but represent <1% of hospitalizations and are therefore not visible.

**Table 3:** Number and percentage distribution of COVID-19 cases, hospitalizations, ICU admissions and deaths by age, compared to the general population of BC, January 1 – August 6, 2020 (**N=3,863\***)

| Age group   | COVID cases<br>n (%) | Cases ever<br>hospitalized<br>n (%) | Cases ever<br>in ICU<br>n (%) | COVID<br>deaths<br>n (%) | General<br>population+<br>n (%) |
|-------------|----------------------|-------------------------------------|-------------------------------|--------------------------|---------------------------------|
| <10 Years   | 78 (2)               | 2 (<1)                              | 0 (0)                         | 0 (0)                    | 468,280 (9)                     |
| 10-19 Years | 162 (4)              | 1 (<1)                              | 0 (0)                         | 0 (0)                    | 507,197 (10)                    |
| 20-29 Years | 648 (17)             | 16 (3)                              | 5 (3)                         | 0 (0)                    | 684,681 (13)                    |
| 30-39 Years | 691 (18)             | 38 (7)                              | 11 (6)                        | 0 (0)                    | 730,523 (14)                    |
| 40-49 Years | 558 (14)             | 51 (9)                              | 19 (10)                       | 2 (1)                    | 647,790 (13)                    |
| 50-59 Years | 635 (16)             | 82 (15)                             | 32 (17)                       | 5 (3)                    | 721,355 (14)                    |
| 60-69 Years | 399 (10)             | 106 (19)                            | 43 (23)                       | 17 (9)                   | 675,632 (13)                    |
| 70-79 Years | 288 (7)              | 129 (23)                            | 60 (32)                       | 35 (18)                  | 436,179 (9)                     |
| 80-89 Years | 254 (7)              | 89 (16)                             | 17 (9)                        | 81 (42)                  | 188,010 (4)                     |
| 90+ Years   | 150 (4)              | 36 (7)                              | 3 (2)                         | 55 (28)                  | 50,876 (1)                      |
| Total       | 3,863                | 550                                 | 190                           | 195                      | 5,110,523                       |


 $<sup>\</sup>ensuremath{^{*}}$  Only cases with age information available are included.

Version: August 6, 2020 **7** of **11** 

<sup>†</sup> PEOPLE2019-2020 population estimates

<sup>†</sup> PEOPLE2019-2020 population estimates


**Figure 8:** Counts of COVID-19 cases and proportions ever hospitalized, ever admitted to ICU, and with outcome of death by gender and age group, BC, January 1 – August 6, 2020 (N=3,862\*)



<sup>\*</sup> Includes cases with sex and age information available.

Version: August 6, 2020 **8** of **11** 

Note: Proportions calculated using the total number of cases in each gender and age group (displayed in top figure) as the denominator. **Figure 9:** COVID-19 outbreaks\* by earliest date\*\*, BC, January 15 – August 6, 2020 (N=66)



<sup>\*</sup> Care facility (acute/long term care/independent living) outbreaks have at least one lab-confirmed COVID-19 staff or resident. Other outbreaks have two or more lab-confirmed COVID-19 cases diagnosed within a 14-day period in closed or common settings (e.g. penitentiary, shared living or work setting).

Table 4: Outbreak and case counts of reported COVID-19 outbreaks\*, BC, January 15 – August 6, 2020 (N=66)

|                               | Care facility | Other settings | Total |  |  |  |
|-------------------------------|---------------|----------------|-------|--|--|--|
| Outbreaks                     |               |                |       |  |  |  |
| Total outbreaks               | 51            | 15             | 66    |  |  |  |
| New since last week (July 30) | 2             | 0              | 2     |  |  |  |
| Active outbreaks              | 3             | 2              | 5     |  |  |  |
| Outbreaks declared over       | 48            | 13             | 61    |  |  |  |
| Outbreak cases**              |               |                |       |  |  |  |
| Total cases                   | 666           | 475            | 1,141 |  |  |  |
| Residents/patients            | 404           | 122            | 526   |  |  |  |
| Staff/other                   | 262           | 353            | 615   |  |  |  |
| Total deaths                  | 142           | 2              | 144   |  |  |  |
| Residents/patients            | 142           | 1              | 143   |  |  |  |
| Staff/other                   | 0             | 1              | 1     |  |  |  |


<sup>\*</sup> Care facility (acute/long term care/independent living) outbreaks have at least one lab-confirmed COVID-19 staff or resident. Other outbreaks have two or more lab-confirmed COVID-19 cases diagnosed within a 14-day period in closed or common settings (e.g. penitentiary, shared living or work setting).

Version: August 6, 2020 9 of **11** 

<sup>\*\*</sup> Based on the earliest date available for the first case in the outbreak (symptom onset date or, if not available, reported date). Earliest dates are subject to change as data are updated.


<sup>\*\*</sup> Cases include lab-confirmed, lab-probable and epi-linked cases. Case definitions can be found at: <a href="http://www.bccdc.ca/health-professionals/clinical-resources/case-definitions/covid-19-(novel-coronavirus)">http://www.bccdc.ca/health-professionals/clinical-resources/case-definitions/covid-19-(novel-coronavirus)</a>. As of July 3, residents of other Canadian provinces/territories are reported by that province/territory.

Figure 10: Total COVID-19 cases in critical care by day, BC, March 25 - August 6, 2020



Data source: PHSA August 6. Note: critical care data may change over time due to small adjustments and improvements in data quality.

Figure 11: Number of COVID-19 cases in hospital by day, BC, March 18 - August 6, 2020



Data available starting March 18. For dates with no data available (April 12; Sundays from May 10 onwards; and Saturdays from June 7 onwards), the previous day's value was used. Hospitalization data may be incomplete or out of date (i.e., under-estimates) owing to the timing and process for case status update.

Version: August 6, 2020 **10** of **11** 

## **International and National Epidemiological Comparisons**

Figure 12: Daily new and cumulative diagnosed COVID-19 case and death rates by select countries vs BC and Canada





Figure 13: Daily new and cumulative diagnosed COVID-19 case and death rates in Canada



Data sources for international and national epidemiological comparison (all extracted August 5, 2020):

JHU CSSE for global cases and deaths, and Canadian provincial deaths outside of BC: https://github.com/CSSEGISandData/COVID-19

For Canadian provincial cases: Provincial data sources

BC cases and deaths: BCCDC

Global population denominator from the United Nations

Version: August 6, 2020