



Office of the
Provincial Health Officer

British Columbia Chronic Disease Registries (BCCDR) Case Definitions
(Last Update: March 2023)

Population Health Surveillance and Epidemiology Branch

Office of the Provincial Health Officer

British Columbia (BC) Ministry of Health

(Contact: hlth.cdrwg@gov.bc.ca)

[Type here]

GOUT/CRYSTAL ARTHROPATHIES

Case Definition Type: Health Service Contact Prevalence Incidence Rate Lifetime Prevalence

Case Definition:

One or more hospitalization with a gout/crystal arthropathies diagnostic code, OR
Two or more physician visits with a gout/crystal arthropathies diagnostic code within five years.

Signed-off BC Case Definition: Yes - V2021 No

Notes: BC CDR algorithm uses all practitioner claims diagnostic fields, while CCDSS uses only the first physician claim field.

Age Restriction: 20+ years

Data Source(s):

Data Source	ICD Code/Procedure Code/Rx	ICD Code/Procedure Code Position	Diagnosis Type	Hospital Care Level
Hospital ICD-10	M10.x M11.x	First Position Only <input type="checkbox"/> All positions <input checked="" type="checkbox"/> Others <input type="checkbox"/> N/A <input type="checkbox"/>	M-Most Responsible Diagnosis <input checked="" type="checkbox"/> 1-Pre-Admit Comorbidity <input checked="" type="checkbox"/> 2-Post-Admit Comorbidity <input checked="" type="checkbox"/> 3-Secondary Diagnosis <input checked="" type="checkbox"/> 4-Morphology Code <input checked="" type="checkbox"/> 5-Admitting Diagnosis <input checked="" type="checkbox"/> 6-Proxy Most Responsible Diagnosis <input checked="" type="checkbox"/> 9-External Cause of Injury Code <input checked="" type="checkbox"/> 0-Newborn <input checked="" type="checkbox"/> W,X,Y- Service Transfer Diagnosis <input checked="" type="checkbox"/>	Acute Care <input checked="" type="checkbox"/> Rehabilitation <input checked="" type="checkbox"/> Day Surgery <input checked="" type="checkbox"/>
Hospital ICD-9	274.x 712.x	First Position Only <input type="checkbox"/> All positions <input checked="" type="checkbox"/> Others <input type="checkbox"/> N/A <input type="checkbox"/>	M-Most Responsible Diagnosis <input checked="" type="checkbox"/> 1-Pre-Admit Comorbidity <input checked="" type="checkbox"/> 2-Post-Admit Comorbidity <input checked="" type="checkbox"/> 3-Secondary Diagnosis <input checked="" type="checkbox"/> 4-Morphology Code <input checked="" type="checkbox"/> 5-Admitting Diagnosis <input checked="" type="checkbox"/> 6-Proxy Most Responsible Diagnosis <input checked="" type="checkbox"/> 9-External Cause of Injury Code <input checked="" type="checkbox"/>	Acute Care <input checked="" type="checkbox"/> Rehabilitation <input checked="" type="checkbox"/> Day Surgery <input checked="" type="checkbox"/>

[Type here]

			0-Newborn <input checked="" type="checkbox"/> W,X,Y- Service Transfer Diagnosis <input checked="" type="checkbox"/>	
Practitioner Claims ICD-9	274.x 712.x	First Position Only <input type="checkbox"/> All positions <input checked="" type="checkbox"/> Others <input type="checkbox"/> N/A <input type="checkbox"/>	N/A	N/A
Practitioner Claims ICD-10	M10.x M11.x	First Position Only <input type="checkbox"/> All positions <input checked="" type="checkbox"/> Others <input type="checkbox"/> N/A <input type="checkbox"/>	N/A	N/A
PharmaNet Drug History	N/A	N/A	N/A	N/A

Diagnostic Code:

ICD-9/10	Description
M10	Gout
M11	Other crystal arthropathies
274	Gout
712	Crystal arthropathies

Procedure Code: N/A

Drug List: N/A