

Date: November 1, 2021

Administrative Circular: 2021:42

ATTN: Medical Health Officers and Branch Offices Public Health Nursing Administrators and Assistant Administrators Holders of Communicable Disease Control Manuals

Re: Update to Communicable Disease Control Manual, Chapter 2: Immunization, Part 4 – Biological Products

Part 4 – Biological Products

COVID-19 Vaccines

COVID-19 mRNA Vaccine SPIKEVAX™ (Moderna)

• Doses and Schedule:

The booster dose has been revised to indicate that a full dose (0.5 mL [100 mcg]) should be used for residents of long term care (LTC), assisted living and independent living facilities, alternate level of care clients awaiting placement in LTC, and individuals 70 years of age and older. A half dose (0.25 mL [50 mcg]) should be used for all other eligible individuals recommended to receive a booster dose.

Booster Doses:

For all eligible individuals, the minimum age for which a booster dose is recommended has been revised from '12 years of age and older' to '18 years of age and older'. This includes individuals who will be turning 18 years of age within the current calendar year.

These recommendations align with the <u>NACI Interim guidance on booster COVID-19 vaccine</u> <u>doses in Canada</u>, U.S. Food and Drug Administration (FDA) authorization of a 0.25 mL dose for booster dose indications for this product, and is in keeping with US CDC guidance and expected Health Canada authorization.

> Please remove page numbers: 1-5 dated October 29, 2021 Please add new page numbers: 1-5 dated November 1, 2021

COVID-19 mRNA Vaccine COMIRNATY™ (Pfizer-BioNTech)

Booster Doses:

For all eligible individuals, the minimum age for which a booster dose is recommended has been revised from '12 years of age and older' to '18 years of age and older'. This includes individuals who will be turning 18 years of age within the current calendar year.





Please remove page numbers: 1-6 dated October 29, 2021 Please add new page numbers: 1-6 dated November 1, 2021

COVID-19 Vaccine VAXZEVRIA™/COVISHIELD (AstraZeneca/Verity Pharmaceuticals)

Booster Doses:

BC Centre for Disease Control

Provincial Health Services Authority

For all eligible individuals, the minimum age for which a booster dose is recommended has been revised from '12 years of age and older' to '18 years of age and older'. This includes individuals who will be turning 18 years of age within the current calendar year.

Please remove page numbers: 1-5 dated October 29, 2021 Please add new page numbers: 1-5 dated November 1, 2021

COVID-19 Vaccine (Ad26.COV2.S [recombinant]) (Janssen Inc.)

Booster Doses:

For all eligible individuals, the minimum age for which a booster dose is recommended has been revised from '12 years of age and older' to '18 years of age and older'. This includes individuals who will be turning 18 years of age within the current calendar year.

Please remove page numbers: 1-5 dated October 29, 2021 Please add new page numbers: 1-5 dated November 1, 2021







If you have any questions or concerns, please contact Stephanie Meier, Senior Practice Leader, BCCDC (telephone: 604-707-2577 / email: <u>stephanie.meier@bccdc.ca</u>).

Sincerely,

ache beans

Monika Naus MD MHSc FRCPC FACPM Medical Director Communicable Diseases & Immunization Service BC Centre for Disease Control

pc:

Provincial Health Officer Dr. Bonnie Henry

Dr. Reka Gustafson Vice President, Public Health & Wellness, PHSA & Deputy Provincial Health Officer

Deputy Provincial Health Officer Dr. Martin Lavoie BC Ministry of Health, Population & Public Health Division:

Brian Sagar Senior Director Communicable Disease, Population and Public Health Division

Bernard Achampong Executive Director, Public Health, Planning and Prevention, Population and Public Health Division



